

WHAT IS CLAIMED IS:

- Suba 17
1. A prosthesis, comprising:  
a plurality of cells, each cell having a bottom end and a top end;  
a flattened bulbous tail at the bottom end of at least more than one of  
the cells; and  
5 an apex at the top end of each cell, the apex having a smaller surface  
area than the flattened bulbous tail.
  2. The prosthesis of claim 1, wherein the bottom end of each  
cell includes a flattened bulbous tail.
  3. The prosthesis of claim 1, the flattened bulbous tails at the  
bottom end of the prosthesis contouring into the body of the prosthesis.
  4. The prosthesis of claim 1, wherein adjacent flattened bulbous  
tails at the bottom end of the prosthesis are staggered longitudinally.
  5. The prosthesis of claim 1, further comprising:  
a substantially rounded edge about the circumference of the  
prosthesis at the bottom end; and  
5 a substantially rounded edge about the circumference of the  
prosthesis at the top end.

6. The prosthesis of claim 1, further comprising:  
a substantially chamfered edge about the circumference of the  
prosthesis at the bottom end; and

5 a substantially chamfered edge about the circumference of the  
prosthesis at the top end.

7. A prosthesis, comprising:  
a plurality of cells, each cell having a bottom end and a top end;  
a flattened bulbous tail at the bottom end of each cell, wherein  
adjacent flattened bulbous tails are staggered longitudinally and each flattened

5 bulbous tail contours into the body of the prosthesis; and

an apex at the top end of each cell, each apex having a smaller  
surface area than the flattened bulbous tails.

8. The prosthesis of claim 7, further comprising:  
a substantially rounded edge about the circumference at the bottom  
end of the prosthesis; and

5 a substantially rounded edge about the circumference at the top end  
of the prosthesis.

9. The prosthesis of claim 7, further comprising:

a substantially chamfered edge about the circumference at the  
bottom end of the prosthesis; and

a substantially chamfered edge about the circumference at the top  
5 end of the prosthesis.

10. A vascular graft assembly, comprising:

a tubular graft having a first end region and a second end region;  
at least one prosthesis having,

a plurality of cells, each cell having a bottom end and a top  
5 end,

a flattened bulbous tail at the bottom end of at least more than  
one of the cells, and

an apex at the top end of each cell, each apex having a  
smaller surface area than the flattened bulbous tails; and

10 the at least one prosthesis being located at the first end region of the  
graft with the bottom end of each cell of the prosthesis positioned inside the  
tubular graft and the top end of each cell of the prosthesis positioned beyond the  
first end region and external the tubular graft.

11. The vascular graft of claim 10, wherein the bottom end of  
each cell of the at least one prosthesis includes a flattened bulbous tail.

12. The vascular graft of claim 10, the flattened bulbous tails at the bottom end of the at least one prosthesis contouring into the body of the prosthesis.

13. The vascular graft of claim 10, wherein adjacent flattened bulbous tails at the bottom end of the at least one prosthesis are staggered longitudinally.

14. The vascular graft of claim 10, the at least one prosthesis further comprising:

a substantially rounded edge about the circumference of the at least one prosthesis at the bottom end; and

5 a substantially rounded edge about the circumference of the at least one prosthesis at the top end.

15. The vascular graft of claim 10, the at least one prosthesis further comprising:

a substantially chamfered edge about the circumference of the at least one prosthesis at the bottom end; and

a substantially chamfered edge about the circumference of the at least one prosthesis at the top end.

16. A prosthesis, comprising:  
a plurality of cells, each cell having a bottom end and a top end;  
a flattened bulbous tail at the bottom end of at least more than one of  
the cells; and

5 a flattened bulbous tail at the top end of at least more than one of the  
cells.

17. The prosthesis of claim 16, wherein the bottom end of each  
cell includes a flattened bulbous tail.

18. The prosthesis of claim 16, wherein the top end of each cell  
includes a flattened bulbous tail.

19. The prosthesis of claim 16, the flattened bulbous tails at the  
bottom end of the cells contouring into the body of the prosthesis and the flattened  
bulbous tails at the top end of the cells contouring into the body of the prosthesis.

20. The prosthesis of claim 16, wherein:  
adjacent flattened bulbous tails at the bottom end of the cells are  
staggered longitudinally; and

5 adjacent flattened bulbous tails at the top end of the cells are  
staggered longitudinally.

21. The prosthesis of claim 16, further comprising:  
a substantially rounded edge about the circumference of the  
prosthesis at the bottom end; and  
a substantially rounded edge about the circumference of the  
5 prosthesis at the top end.

22. The prosthesis of claim 16, further comprising:  
a substantially chamfered edge about the circumference of the  
prosthesis at the bottom end; and  
a substantially chamfered edge about the circumference of the  
5 prosthesis at the top end.

23. A prosthesis, comprising:  
a plurality of cells, each cell having a bottom end and a top end;  
a flattened bulbous tail at the bottom end of each cell, wherein  
adjacent flattened bulbous tails are staggered longitudinally and each flattened  
5 bulbous tail contours into the body of the prosthesis; and  
a flattened bulbous tail at the top end of each cell, wherein adjacent  
flattened bulbous tails are staggered longitudinally and each flattened bulbous tail  
contours into the body of the prosthesis.

24. The prosthesis of claim 23, further comprising:  
a substantially rounded edge about the circumference of the  
prosthesis at the bottom end; and  
a substantially rounded edge about the circumference of the  
5 prosthesis at the top end.

25. The prosthesis of claim 23, further comprising:  
a substantially chamfered edge about the circumference of the  
prosthesis at the bottom end; and  
a substantially chamfered edge about the circumference of the  
5 prosthesis at the top end.

26. A vascular graft assembly, comprising:  
a tubular graft having a first end region and a second end region;  
at least one prosthesis having,  
a plurality of cells, each cell having a bottom end and a top  
5 end,  
a flattened bulbous tail at the bottom end of at least more than  
one of the cells, and  
a flattened bulbous tail at the top end of at least more than  
one of the cells; and

the at least one prosthesis being located at the first end region of the graft with the bottom end of each cell of the prosthesis positioned inside the tubular graft and the top end of each cell of the prosthesis positioned beyond the first end region and external the tubular graft.

27. The vascular graft of claim 26, wherein the bottom end of each cell of the at least one prosthesis includes a flattened bulbous tail.

28. The vascular graft of claim 26, wherein the top end of each cell of the at least one prosthesis includes a flattened bulbous tail.

29. The vascular graft of claim 26, the flattened bulbous tails of the at least one prosthesis contouring into the body of the prosthesis.

30. The vascular graft of claim 26, wherein adjacent flattened bulbous tails of the at least one prosthesis are staggered longitudinally.

31. The vascular graft of claim 26, the at least one prosthesis further comprising:

a substantially rounded edge about the circumference of the at least one prosthesis at the bottom end; and



a substantially rounded edge about the circumference of the at least one prosthesis at the top end.

32. The vascular graft of claim 26, the at least one prosthesis further comprising:

a substantially chamfered edge about the circumference of the at least one prosthesis at the bottom end; and

5 a substantially chamfered edge about the circumference of the at least one prosthesis at the top end.